

Contacts List

Last Modified on 03/10/2025 11:34 am EDT

```
SELECT T.OrganisationV6 AS [COMPANY],
       c.ContactName AS [CONTACT NAME],
       c.FirstName AS [FIRSTNAME],
       c.MidName AS [MIDDLE NAME],
       c.Surname AS [SURNAME],
       c.Adr1 AS [ADDRESS 1],
       c.Adr2 AS [ADDRESS 1],
       c.Adr3 AS [ADDRESS 1],
       c.State AS [STATE],
       c.Country AS [COUNTRY],
       c.Postcode AS [POSTAL CODE],
       c.Email AS [EMAIL],
       V.VenueName AS [VENUE],
       v.address1 AS [VENUE ADDRESS],
       v.address2 AS [VENUE ADDRESS],
       v.city AS [VENUE CITY],
       v.state AS [VENUE STATE],
       v.country AS [VENUE COUNTRY],
       v.zipcode AS [VENUE ZIPCODE]
FROM tblContact c
LEFT OUTER JOIN tblLinkCustContact L ON C.ID = L.ContactID
LEFT OUTER JOIN tblVenues V ON C.ID = V.ContactID
LEFT OUTER JOIN tblCust T ON L.Customer_code = T.Customer_code
LEFT OUTER JOIN tblSalesper ON c.salesperson_code = tblSalesper.salesperson_code
```

/* Contacts excluding technicians */

SELECT DISTINCT

```
c.contactname AS [CONTACT NAME],
c.firstname AS [FIRSTNAME],
c.midname AS [MIDDLE NAME],
c.surname AS [SURNAME],
c.adr1 AS [ADDRESS 1],
c.adr2 AS [ADDRESS 1],
c.adr3 AS [ADDRESS 1],
c.state AS [STATE],
c.country AS [COUNTRY],
c.postcode AS [POSTAL CODE],
c.email AS [EMAIL],
```

```

CONCAT(ISNULL(LTRIM(RTRIM(c.Phone1CountryCode)), ''), ' ',
        ISNULL(LTRIM(RTRIM(c.Phone1AreaCode)), ''), ' ',
        ISNULL(LTRIM(RTRIM(c.Phone1)), ''), ' ' )
AS [CONTACT PHONE 1],
CONCAT(ISNULL(LTRIM(RTRIM(c.Phone2CountryCode)), ''), ' ',
        ISNULL(LTRIM(RTRIM(c.Phone2AreaCode)), ''), ' ',
        ISNULL(LTRIM(RTRIM(c.Phone2)), ''), ' ' )
AS [CONTACT PHONE 2],
CONCAT(ISNULL(LTRIM(RTRIM(c.CellCountryCode)), ''), ' ',
        ISNULL(LTRIM(RTRIM(c.CellAreaCode)), ''), ' ',
        ISNULL(LTRIM(RTRIM(c.Cell)), ''), ' ' )
AS [CONTACT CELL]

FROM   tblcontact c

LEFT OUTER JOIN tbllinkcustcontact L
        ON C.id = L.contactid

LEFT OUTER JOIN tblvenues V
        ON C.id = V.contactid

LEFT OUTER JOIN tblcust T
        ON L.customer_code = T.customer_code

LEFT OUTER JOIN tblsalesper
        ON c.salesperson_code = tblsalesper.salesperson_code

WHERE NOT EXISTS (

    SELECT 1

    FROM tblinvmas im

    WHERE im.ContactID = c.id

)

```

